1. Data Validitas PERSEPSI Y (KOGNITIF)

Correlations

		Y1	Y2	Y3	TOTAL_Y
Y1	Pearson Correlation	1	.507**	.412**	.875**
	Sig. (2-tailed)		.000	.000	.000
	N	135	135	135	135
Y2	Pearson Correlation	.507**	1	.211*	.762**
	Sig. (2-tailed)	.000		.014	.000
	N	135	135	135	135
Y3	Pearson Correlation	.412**	.211*	1	.647**
	Sig. (2-tailed)	.000	.014		.000
	N	135	135	135	135
TOTAL_Y	Pearson Correlation	.875**	.762**	.647**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	135	135	135	135

**. Correlation is significant at the 0.01 level (2-tailed).

*. Correlation is significant at the 0.05 level (2-tailed).

2. Data Validitas PERSEPSI X1 (MEDIA DOMINO EDUKASI KONVENSIONAL

Correlations

		X1_1	X1_2	X1_3	X1_4	X1_5	TOTAL_X1
X1_1	Pearson Correlation	1	.214*	.171*	.129	.229**	.520**
	Sig. (2-tailed)		.013	.048	.135	.008	.000
	N	135	135	135	135	135	135
X1_2	Pearson Correlation	.214*	1	.600**	.203*	.233**	.661**
	Sig. (2-tailed)	.013		.000	.018	.007	.000

	N	135	135	135	135	135	135
X1_3	Pearson Correlation	.171*	.600**	1	.199*	.415**	.724**
	Sig. (2-tailed)	.048	.000		.021	.000	.000
	N	135	135	135	135	135	135
X1_4	Pearson Correlation	.129	.203*	.199*	1	.612**	.651**
	Sig. (2-tailed)	.135	.018	.021		.000	.000
	N	135	135	135	135	135	135
X1_5	Pearson Correlation	.229**	.233**	.415**	.612**	1	.761**
	Sig. (2-tailed)	.008	.007	.000	.000		.000
	N	135	135	135	135	135	135
TOTAL_X1	Pearson Correlation	.520**	.661**	.724**	.651**	.761**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	135	135	135	135	135	135

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

3. Data Validitas PERSEPSI X2 DIGITAL KONTEMPORER)

Correlations

		X2_1	X2_2	X2_3	X2_4	X2_5	TOTAL_X2
X2_1	Pearson Correlation	1	.347**	.146	.430**	-.003	.698**
	Sig. (2-tailed)		.000	.092	.000	.975	.000
	N	135	135	135	135	135	135
X2_2	Pearson Correlation	.347**	1	.203*	.282**	.049	.664**
	Sig. (2-tailed)	.000		.018	.001	.569	.000
	N	135	135	135	135	135	135
X2_3	Pearson Correlation	.146	.203*	1	.336**	.010	.569**
	Sig. (2-tailed)	.092	.018		.000	.913	.000
	N	135	135	135	135	135	135
X2_4	Pearson Correlation	.430**	.282**	.336**	1	.101	.719**

	Sig. (2-tailed)	.000	.001	.000		.246	.000
	N	135	135	135	135	135	135
X2_5	Pearson Correlation	-.003	.049	.010	.101	1	.297**
	Sig. (2-tailed)	.975	.569	.913	.246		.000
	N	135	135	135	135	135	135
TOTAL_X2	Pearson Correlation	.698**	.664**	.569**	.719**	.297**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	135	135	135	135	135	135

**. Correlation is significant at the 0.01 level (2-tailed).

*. Correlation is significant at the 0.05 level (2-tailed).

4. DATA RELIABILITAS PERSEPSI Y (KOGNITIF)

Case Processing Summary

		N	%
Cases	Valid	135	100.0
	Excluded[a]	0	.0
	Total	135	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.648	3

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y1	7.84	.192	.595	.342
Y2	7.84	.282	.459	.551
Y3	7.82	.356	.370	.665

5. DATA RELIABILITAS PERSEPSI X1 (MEDIA DOMINO EDUKASI KONVENSIONAL

Case Processing Summary

		N	%
Cases	Valid	135	100.0
	Excluded[a]	0	.0
	Total	135	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.683	5

6. RELIABILITAS PERSEPSI X2 DIGITAL KONTEMPORER)

Case Processing Summary

		N	%
Cases	Valid	135	100.0
	Excluded[a]	0	.0
	Total	135	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.560	5

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X2_1	15.05	1.169	.395	.457
X2_2	15.10	1.252	.376	.470
X2_3	15.04	1.409	.278	.529
X2_4	14.99	1.246	.504	.399
X2_5	14.90	1.759	.054	.617

7. DATA NORMALITAS

Shapiro-Wilk

Case Processing Summary

		Cases					
		Valid		Missing		Total	
	Persepsi	N	Percent	N	Percent	N	Percent
Y	X1	135	100.0%	0	0.0%	135	100.0%
	X2	135	100.0%	0	0.0%	135	100.0%

Descriptives

	Persepsi			Statistic	Std. Error
Y	X1	Mean		17.01	.193
		95% Confidence Interval for Mean	Lower Bound	16.62	
			Upper Bound	17.39	
		5% Trimmed Mean		17.12	
		Median		17.00	
		Variance		5.052	
		Std. Deviation		2.248	
		Minimum		8	
		Maximum		20	
		Range		12	
		Interquartile Range		4	
		Skewness		-.750	.209
		Kurtosis		1.064	.414
	X2	Mean		18.77	.119
		95% Confidence Interval for Mean	Lower Bound	18.53	
			Upper Bound	19.01	
		5% Trimmed Mean		18.90	
		Median		19.00	

	Variance	1.924	
	Std. Deviation	1.387	
	Minimum	14	
	Maximum	20	
	Range	6	
	Interquartile Range	2	
	Skewness	-1.197	.209
	Kurtosis	.876	.414

Tests of Normality

		Shapiro-Wilk		
	Persepsi	Statistic	df	Sig.
Y	X1	.924	135	.807
	X2	.818	135	.707

a. Lilliefors Significance Correction

8. DATA HOMOGENITAS

Test of Homogeneity of Variances

	Levene Statistic	df1	df2	Sig.
TOTAL_X2	.930	3	130	.428
TOTAL_X1	1.763	3	130	.158

ANOVA

		Sum of Squares	df	Mean Square	F	Sig.
TOTAL_X2	Between Groups	5.607	4	1.402	.722	.578
	Within Groups	252.274	130	1.941		
	Total	257.881	134			
TOTAL_X1	Between Groups	28.014	4	7.004	1.403	.237
	Within Groups	648.979	130	4.992		
	Total	676.993	134			

9. DATA LINEARITAS

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
TOTAL_Y * TOTAL_X1	135	100.0%	0	0.0%	135	100.0%
TOTAL_Y * TOTAL_X2	135	100.0%	0	0.0%	135	100.0%

TOTAL_Y * TOTAL_X1

Report

TOTAL_Y

TOTAL_X1	Mean	N	Std. Deviation
8	12.00	1	.
10	12.00	1	.
13	11.25	4	1.500
14	11.50	14	1.286
15	11.82	17	.393
16	12.00	9	.000
17	11.93	29	.258
18	11.68	25	.802
19	11.67	12	.778
20	11.74	23	.752
Total	11.76	135	.728

ANOVA Table

			Sum of Squares	df	Mean Square	F	Sig.
TOTAL_Y * TOTAL_X1	Between Groups	(Combined)	3.809	9	.423	.788	.628
		Linearity	.041	1	.041	.076	.784
		Deviation from Linearity	3.769	8	.471	.877	.538
	Within Groups		67.124	125	.537		
	Total		70.933	134			

Measures of Association

	R	R Squared	Eta	Eta Squared
TOTAL_Y * TOTAL_X1	.024	.001	.232	.054

TOTAL_Y * TOTAL_X2

Report

TOTAL_Y

TOTAL_X2	Mean	N	Std. Deviation
14	12.00	1	.
15	11.00	3	1.732
16	11.89	9	.333
17	11.44	9	1.130
18	11.77	22	.528
19	11.68	38	.904
20	11.87	53	.520
Total	11.76	135	.728

ANOVA Table

			Sum of Squares	df	Mean Square	F	Sig.
TOTAL_Y * TOTAL_X2	Between Groups	(Combined)	3.673	6	.612	1.165	.329
		Linearity	.922	1	.922	1.755	.188
		Deviation from Linearity	2.750	5	.550	1.047	.393
	Within Groups		67.261	128	.525		
	Total		70.933	134			

Measures of Association

	R	R Squared	Eta	Eta Squared
TOTAL_Y * TOTAL_X2	.114	.013	.228	.052

10. DATA REGRESI

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	TOTAL_X2, TOTAL_X1[b]	.	Enter

a. Dependent Variable: TOTAL_Y

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.126[a]	.016	.001	.727

a. Predictors: (Constant), TOTAL_X2, TOTAL_X1

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.122	2	.561	1.061	.349[b]
	Residual	69.811	132	.529		
	Total	70.933	134			

a. Dependent Variable: TOTAL_Y

b. Predictors: (Constant), TOTAL_X2, TOTAL_X1

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	10.615	.853		12.447	.000
	TOTAL_X1	-.021	.035	-.066	-.615	.540
	TOTAL_X2	.080	.056	.153	1.430	.155

a. Dependent Variable: TOTAL_Y

11. DATA Multikolinearitas

Variables Entered/Removed[a]

Model	Variables Entered	Variables Removed	Method
1	TOTAL_X2, TOTAL_X1[b]	.	Enter

a. Dependent Variable: TOTAL_Y

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.126[a]	.016	.001	.727

a. Predictors: (Constant), TOTAL_X2, TOTAL_X1

ANOVA[a]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.122	2	.561	1.061	.349[b]
	Residual	69.811	132	.529		
	Total	70.933	134			

a. Dependent Variable: TOTAL_Y

b. Predictors: (Constant), TOTAL_X2, TOTAL_X1

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	10.615	.853		12.447	.000		
	TOTAL_X1	-.021	.035	-.066	-.615	.540	.656	1.525
	TOTAL_X2	.080	.056	.153	1.430	.155	.656	1.525

a. Dependent Variable: TOTAL_Y

Coefficient Correlations[a]

Model			TOTAL_X2	TOTAL_X1
1	Correlations	TOTAL_X2	1.000	-.587
		TOTAL_X1	-.587	1.000
	Covariances	TOTAL_X2	.003	-.001
		TOTAL_X1	-.001	.001

a. Dependent Variable: TOTAL_Y

Collinearity Diagnostics[a]

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	TOTAL_X1	TOTAL_X2
1	1	2.989	1.000	.00	.00	.00
	2	.009	18.221	.20	.77	.02
	3	.002	36.536	.80	.23	.98

a. Dependent Variable: TOTAL_Y

12. DATA UJI DESKRIPTIF

Media Domino Edukasi Konvensional

Descriptive Statistics

	N	Range	Minimum	Maximum	Mean		Std. Deviation	Variance	Skewness		Kurtosis	
	Statistic	Statistic	Statistic	Statistic	Statistic	Std. Error	Statistic	Statistic	Statistic	Std. Error	Statistic	Std. Error
KEJELASAN	135	2	2	4	3.47	.057	.667	.445	-.898	.209	-.330	.414
KESESUAIAN	135	2	2	4	3.33	.053	.611	.373	-.332	.209	-.639	.414
KUALITAS	135	3	1	4	3.28	.062	.719	.517	-.601	.209	-.400	.414
GAMBARDIBACA	135	3	1	4	3.39	.059	.681	.464	-1.112	.209	1.684	.414
MENARIKDOMINO	135	3	1	4	3.53	.060	.700	.490	-1.551	.209	2.375	.414
Valid N (listwise)	135											

Media Domino Edukasi Digital Kontemporer

Descriptive Statistics

	N	Range	Minimum	Maximum	Mean		Std. Deviation	Variance	Skewness		Kurtosis	
	Statistic	Statistic	Statistic	Statistic	Statistic	Std. Error	Statistic	Statistic	Statistic	Std. Error	Statistic	Std. Error
KEJELASAN	135	3	1	4	3.72	.047	.542	.293	-2.089	.209	5.019	.414
KESESUAIAN	135	2	2	4	3.67	.043	.501	.251	-1.108	.209	.026	.414
KUALITAS	135	2	2	4	3.73	.040	.460	.212	-1.298	.209	.296	.414
GAMBARDIBACA	135	2	2	4	3.78	.037	.435	.189	-1.625	.209	1.407	.414
MENARIKDOMINO	135	1	3	4	3.87	.029	.341	.116	-2.182	.209	2.801	.414
Valid N (listwise)	135											